



**HOUGHTON®**

# SAFETY DATA SHEET

Revision Date 09-14-2016

Version 5

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Code(s)** 21421400-M  
**Product Name** RUST VETO 4214

**Recommended Use** Rust Preventative  
**Uses advised against** Any other purpose.

### Manufacturer, Importer, Supplier

Houghton International Inc.  
Madison & Van Buren Aves.  
Valley Forge, PA 19482  
Telephone: 610-666-4000 FAX: 610-666-1376  
Website: www.houghtonintl.com  
Customer Service: 888-459-9844

Houghton Canada  
915 Meyerside Drive  
Mississauga  
ON  
L5T 1R8

Houghton Mexico S.A. de C.V.  
Efraín Gonzalez Luna, 2007 Depto19  
Col. Americana, Guadalajara,  
Jalisco CP. 44160,  
Mexico  
Phone: +52-333-615-9331

### Emergency telephone number

3E Company 1-866-519-4752 (USA, Canada, Mexico)  
Company Access Code: 333938

## SECTION 2: HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable liquids	Category 3

### Label elements

**Signal word**  
DANGER

### Hazard statements

May cause drowsiness or dizziness  
May be fatal if swallowed and enters airways  
Flammable liquid and vapor



**Precautionary Statements****Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Keep container tightly closed  
 Ground/Bond container and receiving equipment  
 Use explosion-proof electrical/ventilating/lighting/./? /equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Keep cool

**Precautionary Statements - Response****Skin**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell

**Ingestion**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
 Do NOT induce vomiting

**Fire**

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

**Health** Not Applicable.  
**Physical** Not Applicable.

**Other Information**

Prolonged skin contact may defat the skin and produce dermatitis  
 Repeated exposure may cause skin dryness or cracking

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

This product is a mixture. Health hazard information is based on its ingredients.

Chemical name	CAS No	Weight-%
Distillates (petroleum), hydrotreated light	64742-47-8	60% - 100%
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	-	2.5% - 10%
Paraffin waxes (petroleum), hydrotreated	64742-51-4	1% - 2.5%
Highly refined base oil (Viscosity >20.5 cSt @40°C)	-	1% - 2.5%
Barium bis(dinonylnaphthalenesulphonate)	25619-56-1	1% - 2.5%
2-(2-Butoxyethoxy)ethanol	112-34-5	0% - 1%

The exact percentage (concentration) of composition has been withheld as a trade secret.

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346. See Section 15 for additional information on base oils.

**SECTION 4: FIRST AID MEASURES**

**Description of first-aid measures**

<b>General advice</b>	Immediate medical attention is required. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.
<b>Inhalation</b>	Move to fresh air. Potential for aspiration if swallowed. Get medical attention immediately if symptoms occur.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use.
<b>Eye contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing.
<b>Ingestion</b>	Do not induce vomiting without medical advice. Clean mouth with water and afterwards drink plenty of water. Aspiration hazard if swallowed - can enter lungs and cause damage. If symptoms persist, call a physician.
<b>Protection of First-aiders</b>	Use personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

**Most important symptoms and effects, both acute and delayed**

**Main Symptoms** May be fatal if swallowed and enters airways

**Indication of immediate medical attention and special treatment needed**

**Notes to physician** Treat symptomatically.

**SECTION 5: FIRE FIGHTING MEASURES****Extinguishing media****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment; Use CO2, dry chemical, or foam, Water spray or fog, Cool containers / tanks with water spray

**Extinguishing media which shall not be used for safety reasons**

Do not use a solid water stream as it may scatter and spread fire

**Special hazards arising from the substance or mixture****Special Hazard**

In the event of fire and/or explosion do not breathe fumes. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Flammable. Risk of ignition. Thermal decomposition can lead to release of irritating gases and vapors. This material creates a fire hazard because it floats on water.

**Hazardous decomposition products**

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide

**Advice for firefighters****Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

**SECTION 6: ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away

from and upwind of spill/leak. Remove all sources of ignition.

**Advice for non-emergency personnel** Material can create slippery conditions. Eliminate all ignition sources if safe to do so. Evacuate personnel to safe areas.

**Advice for emergency responders** For personal protection see section 8.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

### Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Dike to collect large liquid spills. After cleaning, flush away traces with water.

### Reference to other sections

See Section 8/12/13 for additional information

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Remove all sources of ignition. Keep away from open flames, hot surfaces and sources of ignition.

### Conditions for safe storage, including any incompatibilities

#### **Technical measures/Storage conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of the reach of children.

#### **Recommended Shelf Life**

No information available.

#### **Incompatible materials**

Strong oxidizing agents, Strong acids, Strong bases

### Specific end uses

**Specific use(s)** Rust Preventative

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA WEEL
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	5 mg/m <sup>3</sup> as mist	5 mg/m <sup>3</sup> as mist		
Paraffin waxes (petroleum), hydrotreated 64742-51-4	5 mg/m <sup>3</sup> as mist	5 mg/m <sup>3</sup> as mist		

Highly refined base oil (Viscosity >20.5 cSt @40°C) -	5 mg/m <sup>3</sup> as mist	5 mg/m <sup>3</sup> as mist		
Barium bis(dinonylnaphthalenesulph onate) 25619-56-1	TWA: 0.5 mg/m <sup>3</sup> Ba	TWA: 0.5 mg/m <sup>3</sup> Ba (vacated) TWA: 0.5 mg/m <sup>3</sup> Ba	TWA: 0.5 mg/m <sup>3</sup> except Barium sulfate Ba	

Hydrocarbon solvent vapor mixtures which do not have substance specific occupational exposure limits may be evaluated by the Reciprocal Calculation Procedure (RCP) which assigns a recommended occupational exposure limit based on the mass composition and hydrocarbon group guidance values (GGVs). Applicable recommended occupational exposure limits are shown in the table below.

Chemical name	RCP OEL	Manufacturer
Paraffin oils 8012-95-1		TWA: 5 mg/m <sup>3</sup> excluding metal working fluids, highly & severely refined

Chemical name	RCP OEL	Manufacturer
Distillates (petroleum), hydrotreated middle 64742-46-7	RCP: TWA 1200 mg/m <sup>3</sup> 143ppm	

### Exposure controls

**Engineering Measures**                      Showers  
    Eyewash stations  
    Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection**                      Safety glasses with side-shields.

**Skin and body protection**                Wear protective gloves/clothing.

**Respiratory protection**                    No special protective equipment required. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

**Hygiene measures**                            Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Appearance</b>	clear amber
<b>Odor</b>	Characteristic	<b>Odor threshold</b>	Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks</u>
<b>pH</b>	Not applicable	
<b>Melting point / freezing point</b>	No information available	
<b>Boiling point / boiling range</b>	No information available	
<b>Flash point</b>	40 °C / 104 °F	ASTM D 93
<b>Evaporation rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit:</b>	No information available	
<b>Lower flammability limit:</b>	No information available	
<b>Vapor pressure</b>	No information available	
<b>Vapor density</b>	No information available	
<b>Relative density</b>	= 0.8	g/cm <sup>3</sup> @15.5°C
<b>Solubility(ies)</b>	Insoluble in water	
<b>Partition coefficient</b>	Not applicable	
<b>Autoignition temperature</b>	No information available	

<b>Decomposition temperature</b>	No information available	
<b>Kinematic viscosity</b>	< 3 cSt @ 40 °C	ASTM D 445
<b>Explosive properties</b>	Not applicable	
<b>Oxidizing Properties</b>	Not applicable	

**Other Information**

<b>Viscosity, kinematic (100°C)</b>	No information available
<b>Pour Point</b>	No information available
<b>VOC Content (ASTM E-1868-10)</b>	No information available
<b>VOC content</b>	No information available

**SECTION 10: STABILITY AND REACTIVITY****Reactivity**

None under normal use conditions

**Chemical stability**

Stable under normal conditions

**Possibility of hazardous reactions**

None under normal use conditions

**Conditions to avoid**

Keep away from open flames, hot surfaces and sources of ignition, Heat (temperatures above flash point), sparks, ignition points, flames, static electricity, Heat, flames and sparks

**Incompatible materials**

Strong oxidizing agents, Strong acids, Strong bases

**Hazardous decomposition products**

Incomplete combustion and thermolysis produces potentially toxic gases such as carbon monoxide and carbon dioxide.

**SECTION 11: TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

<b>Product Information</b>	May be harmful if swallowed and enters airways
<b>Inhalation</b>	Risk of serious damage to the lungs (by aspiration); Vapors may cause drowsiness and dizziness
<b>Eye contact</b>	Based on available data, the classification criteria are not met
<b>Skin contact</b>	Based on available data, the classification criteria are not met
<b>Ingestion</b>	Risk of product entering the lungs on vomiting after ingestion

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), hydrotreated light 64742-47-8	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L ( Rat ) 4 h
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	
Paraffin waxes (petroleum),	10000 mg/kg ( Rat )	> 3600 mg/kg ( Rabbit )	

hydrotreated 64742-51-4			
Highly refined base oil (Viscosity >20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	
Barium bis(dinonylnaphthalenesulphonate) 25619-56-1	> 2000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 21 mg/l (1h) ( Rat )
2-(2-Butoxyethoxy)ethanol 112-34-5	3384 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	

**Information on toxicological effects**

**Symptoms** May be fatal if swallowed and enters airways. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Prolonged skin contact may defat the skin and produce dermatitis.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**Specific target organ toxicity (single exposure)** May cause drowsiness or dizziness.

**Specific target organ toxicity (repeated exposure)** Based on available data, the classification criteria are not met.

**Aspiration hazard** Risk of serious damage to the lungs (by aspiration).

**SECTION 12: ECOLOGICAL INFORMATION****Ecotoxicity**

No special environmental measures are necessary

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates (petroleum), hydrotreated light	1000: 72 h Pseudokirchneriella subcapitata mg/L EC50	1000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
2-(2-Butoxyethoxy)ethanol	100: 96 h Desmodemus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static		2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50

**Persistence and degradability** The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

**Bioaccumulation** No information available

**Mobility** The product is insoluble and floats on water. Is not likely mobile in the environment due its low water solubility.

**Other adverse effects** No information available

### SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

<b>Waste Disposal Methods</b>	Dispose of in accordance with federal, state, and local regulations.
<b>Contaminated packaging</b>	Observe all label precautions until container is cleaned, reconditioned or destroyed.

### SECTION 14: TRANSPORT INFORMATION

<b>DOT</b>	Not regulated. (If shipped in NON BULK packaging by ground transport)
<b>UN/ID no</b>	NA1993
<b>Proper shipping name</b>	COMBUSTIBLE LIQUID, N.O.S.
<b>Hazard Class</b>	Combustible Liquid
<b>Packing Group</b>	III
<b>Emergency Response Guide Number</b>	128
<b>Description</b>	NA1993, COMBUSTIBLE LIQUID, N.O.S (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT), COMBUSTIBLE LIQUID, III

<b>TDG</b>	
<b>UN/ID no</b>	UN1268
<b>Proper shipping name</b>	PETROLEUM DISTILLATES, N.O.S.
<b>Hazard Class</b>	3
<b>Packing Group</b>	III
<b>Description</b>	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III

<b>MEX</b>	
<b>UN/ID no</b>	UN1268
<b>Proper shipping name</b>	PETROLEUM DISTILLATES, N.O.S.
<b>Hazard Class</b>	3
<b>Packing Group</b>	III
<b>Description</b>	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III

<b>IATA</b>	
<b>UN/ID no</b>	UN1268
<b>Proper shipping name</b>	PETROLEUM DISTILLATES, N.O.S.
<b>Hazard Class</b>	3
<b>Packing Group</b>	III
<b>ERG Code</b>	3L
<b>Description</b>	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III

<b>IMDG</b>	
<b>UN/ID no</b>	UN1268
<b>Proper shipping name</b>	PETROLEUM DISTILLATES, N.O.S.
<b>Hazard Class</b>	3
<b>Packing Group</b>	III
<b>EmS-No</b>	F-E, S-E
<b>Vessel Stowage Location Code</b>	A
<b>Description</b>	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, (40°C c.c.)

### SECTION 15: REGULATORY INFORMATION

#### International Inventories

<b>TSCA</b>	Complies
-------------	----------



DSL	Complies
AICS	Complies
PICCS	Complies
KECL	Complies
IECSC	Complies
ENCS	Complies
TCSI	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**AICS** - Australian Inventory of Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**TCSI** - Taiwan National Existing Chemical Inventory

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-(2-Butoxyethoxy)ethanol	112-34-5	2	1.0

#### **SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	no
<b>Fire hazard</b>	Yes
<b>Sudden Release of Pressure Hazard</b>	no
<b>Reactive Hazard</b>	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this regulation, Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### **SCAQMD Rule 1144**

This product has not been tested for VOC content by the ASTM E-1868-10 method and is not approved for sale or distribution in the SCAQM District of California if the product is used as a metal forming, metal removal, metal treating, metal protection fluid or as a direct-contact lubricant.

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### International Regulations

#### **Ozone-depleting substances (ODS)**

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

**Chemicals Subject to Prior Informed Consent (PIC)**

Not applicable

**Other Information**

Not applicable

The highly refined base oil (Viscosity >20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers REACH registration numbers:

Chemical name	CAS No
Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated	101316-72-7
Lubricating oils (petroleum), used, noncatalytically refined	101316-73-8
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4
Residual oils (petroleum), solvent-refined	64742-01-4
Extracts (petroleum), residual oil solvent	64742-10-5
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Residual oils (petroleum), hydrotreated	64742-57-0
Lubricating oils (petroleum), hydrotreated spent	64742-58-1
Residual oils (petroleum), solvent-dewaxed	64742-62-7
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0
Paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1
Lubricating oils	74869-22-0
Paraffin oils	8012-95-1
White mineral oil (petroleum)	8042-47-5
C18-C50 branched, cyclic and linear hydrocarbons – Distillates	848301-69-9

The highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical name	CAS No
Distillates (petroleum), straight-run middle	64741-44-2
Distillates (petroleum), heavy hydrocracked	64741-76-0
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5
Distillates (petroleum), hydrotreated middle	64742-46-7
Distillates (petroleum), hydrotreated middle	64742-46-7
Distillates (petroleum), hydrotreated light	64742-47-8
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8
Distillates, petroleum, solvent-dewaxed light paraffinic	64742-56-9
Distillates (petroleum), solvent-dewaxed heavy, paraffinic	64742-65-0
Paraffin oils (petroleum), catalytic dewaxed light	64742-71-8
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0
Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil-based	72623-87-1
White mineral oil (petroleum)	8042-47-5
C18-C50 branched, cyclic and linear hydrocarbons – Distillates	848301-69-9
Hydrocarbons, C14-C19, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE

### SECTION 16: OTHER INFORMATION

**NFPA**

Health hazards 2

Flammability 2

Instability 0

Physical and chemical  
properties -

Key or legend to abbreviations and acronyms used in the safety data sheet

STOT SE - Specific target organ systemic toxicity (Single exposure)  
STOT RE - Specific target organ systemic toxicity (repeated exposure)  
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
VOC - Volatile organic compounds

**Revision Date** 09-14-2016

**Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**

**End of Safety Data Sheet**